

Project : 484 2021

File : ... \Výpočet - přechod B.LPF


Summary

Grid summary

Average type : Arithmetic (A) or Weighted (W)

Zakladni prostor A1, zleva (22)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	17,4	43,6	32,3	39,9	53,9
Zakladni prostor A2, zprava (23)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	18,0	43,2	33,4	41,6	53,8
Doplňkový prostor B1, zleva (24)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	14,4	24,9	21,2	57,9	68,0
Doplňkový prostor B2, zprava (25)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	16,7	30,8	26,0	54,2	64,2
Doplňkový prodloužený prostor B1', zleva (26)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	21,9	71,7	44,3	30,5	49,4
Doplňkový prodloužený prostor B2', zprava (27)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	17,8	68,4	43,6	26,1	40,9
Horizontální osvětlenost (28)	Min	Max	Ave (A)	Min/Max	Min/Ave
Illuminance (lux)	22,3	187,4	80,5	11,9	27,7

Current view Configuration (1)





Grid results

Average type : Arithmetic (A) or Weighted (W)

Zakladni prostor A1, zleva (22) : Illuminance [lux]
 Min : lux Ave (A) : lux Max : lux Uo : % Ug : %

				UL %
4,833	19,3	43,6	41,0	44,2
2,900	18,3	41,1	42,8	42,7
0,967	17,4	33,6	33,9	51,4
Y/X	-1,333	0,000	1,333	

Zakladni prostor A1, zleva (22) : Illuminance [lux]**Zakladni prostor A1, zleva (22) : Illuminance [lux]**

Zakladni prostor A2, zprava (23) : Illuminance [lux]

Min : 18,0 lux



Ave (A) 33,4 lux

Max : 43,2 lux

Uo : 53,8 %

Ug : 41,6 %

				UL %
3,000	19,1	43,2	40,9	44,2
1,500	18,3	41,2	42,7	42,8
0,000	18,0	38,0	39,4	45,7
y'/x'	0,000	1,333	2,666	

Zakladni prostor A2, zprava (23) : Illuminance [lux]**Zakladni prostor A2, zprava (23) : Illuminance [lux]**

Doplnkový prodloužený prostor B1', zleva (26) : Illuminance [lux]

Min : 21,9 lux



Ave (A) 44,3 lux

Max : 71,7 lux

Uo : 49,4 %

Ug : 30,5 %

				UL %
8,300	43,2	55,5	26,0	46,8
7,300	52,4	71,7	29,3	40,8
6,300	48,0	50,6	21,9	43,3
Y/X	-1,333	0,000	1,333	

Doplnkový prodloužený prostor B1', zleva (26) : Illuminance [lux]**Doplnkový prodloužený prostor B1', zleva (26) : Illuminance [lux]**

Doplnkový prodloužený prostor B2', zprava (27) : Illuminance [lux]

Min : 17,8 lux



Ave (A) 43,6 lux

Max : 68,4 lux


Uo : 40,9 %

Ug : 26,1 %


				UL %
2,000	48,0	63,8	30,1	47,1
1,000	53,6	68,4	27,4	40,0
0,000	41,7	41,4	17,8	42,7
y'/x'	0,000	1,333	2,666	

Doplnkový prodloužený prostor B2', zprava (27) : Illuminance [lux]**Doplnkový prodloužený prostor B2', zprava (27) : Illuminance [lux]**

Horisontani osvetlenost (28) : Illuminance [lux]



Horisontani osvetlenost (28) : Illuminance [lux]



General information

Configuration details

• Configuration (1)

Activated ☒

Matrix	Description	Flux	MF	Luminaire
477732	D:\Matrices\477732.mat	10,0	0,80	No Picture

Group details

Single								
	N°	Start			Luminaire			
		X	Y	H	Matrix	Az	Inc	Rot
✓	1	-2,500	0,500	6,000	477732	0,0	5,0	0,0
✓	2	2,500	13,300	6,000	477732	180,0	5,0	0,0